

### RESEARCH ARTICLE

**Open Access** 

# Healthcare professionals' experiences of being observed regarding hygiene routines: the Hawthorne effect in vascular surgery



Francis Rezk<sup>1,2,3\*</sup>, Margaretha Stenmarker<sup>3,4,5</sup>, Stefan Acosta<sup>1</sup>, Karoline Johansson<sup>3,6</sup>, Malin Bengnér<sup>3,6</sup>, Håkan Åstrand<sup>2,3</sup> and Ann-Christine Andersson<sup>7</sup>





## **Surgical site infection**

• Definition;

Is an infection that occurs after surgery in the part of the body where the surgery took place (30-90 days)

• 10-43%

• 3<sup>rd</sup> most common hospital- acquired infection



Most common nosocomial infection in surgical patients





# **Peripheral Vascular Surgery**

• High risk for surgical site infections; 4-43%

My retrospective Cohort study 40%)


### Complication

- Bleeding
- Amputation
- Mortality

### High financial burden

- Prolonged hospitalizations
- Readmissions
- Antibiotic resistance








### **Hawthorne Effect**

Change in behaviour by subjects due to their awareness of being observed

• Hawthorne Effect impact on **surgical site infection** as well as healthcare associated infections









### **Hawthorne Effect mediated factors**

### **Retrospective Cohort study**

The International Journal of Lower Extremity Wounds Volume 18, Issue 2, June 2019, Pages 135-142 © The Author(s) 2019, Article Reuse Guidelines https://doi.org/10.1177/1534734619338749




Original Article


Antibiotic Prophylaxis With Trimethoprim/Sulfamethoxazole Instead of Cloxacillin/Cefotaxime Increases Inguinal Surgical Site Infection Rate After Lower Extremity Revascularization

Francis Rezk, MD<sup>1,2</sup>, Håkan Åstrand, MD, PhD<sup>2</sup>, and Stefan Acosta, MD, PhD 10 1,3

### **Hygiene precautions**

The Department for Communicable Disease Control at the Jönköping County Hospital has overall responsibility for hygiene routines, observation process and monitoring.









# Exploring the perspectives and experiences of healthcare professionals regarding Hygiene, observations and Hawthorne Effect

- Single center study
- Explorative qualitative case study
- Aim:

To examine how healthcare professionals perceive being observed when following hygiene routines, and how they believe and express how these observations affect their way of working





# Method


### The units

- Outpatient clinic
- Operation theatre
- Postoperative care unit
- Department of surgery
- Hybrid theatre
- Environmental services staff
- Hygiene nurse






### Method







### **Results**



- Feedback
- Anaesthesiologists, surgeons, cleaning team, included in the observation process
- Open climate
- Continuous training for all
- Clear support to the observers





# **Citations spots: Participants**

#### Anaesthesia




" On the anaesthetic side then, for example, that it's sometimes dirty and sometimes clean."

### Operating Theatre

'In operation theatre it is, there it is so obvious better with routines"

" in regular departments and then you have... Not that"







# **Citations spots: Participants**

**Mediated Hawthorne Effect** 



No mediated Hawthorne Effect

"We think a little more about vascular patients"

"we have quite <u>an extra handle</u> on if"

"so, it must be sterile care of the operations wounds"

"PICO, well then there's a focus on that"

"we get a <u>different adherence"</u>

"Yes really, there is a <u>big difference</u>, <u>Before</u> and <u>after</u> study" "I don't think, we treat them... No, I think we... ... different with us"

But you might think, what does it matter, uh, given that we do the same regardless- op"





## **Conclusion**

- There are many factors which influence the <u>adherence</u> of **Healthcare professionals** to standard precautions to a considerable extent of which many factors could be <u>mediated</u> by a **Hawthorne Effect**
- It is important that <u>managers</u> within the <u>healthcare system</u> put into place an improved and sustainable hygiene care to reduce the rate of **surgical site** infections after vascular surgery
- Hawthorne Effect could be mediated by INVIPS-Trial





